

## SECTION 1: Identification

### 1.1. Identification

Product form : Mixture  
Product name : OTR™ SAE 10W-30 Syn Blend, OTR™ SAE 15W-40 Syn Blend

### 1.2. Recommended use and restrictions on use

Recommended use : Motor oil  
Restrictions on use : No additional information available

### 1.3. Details of the distributor of the safety data sheet

#### Distributor Address

FleetPride Truck & Trailer Parts  
600 E. Las Colinas Blvd., Suite 400  
Irving, Texas 75039

### 1.4. Emergency telephone number

Emergency number : 1-800-899-9004 Toll-Free USA/CAN 24 hours

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### GHS-US classification

Not classified

### 2.2. GHS Label elements, including precautionary statements

#### GHS US labelling

No labelling applicable

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

10.22% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
10.22% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
10.22% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                                               | Product identifier    | %       | GHS-US classification                   |
|--------------------------------------------------------------------|-----------------------|---------|-----------------------------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) | (CAS-No.) 64742-54-7  | 70 - 80 | Asp. Tox. 1, H304                       |
| Zinc alkyl dithiophosphate                                         | (CAS-No.) 113706-15-3 | 1 - 2   | Skin Irrit. 2, H315<br>Eye Dam. 1, H318 |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

# OTR™ SAE 10W-30 Syn Blend

# OTR™ SAE 15W-40 Syn Blend

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Repeated or prolonged skin contact may cause dermatitis and defatting.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Burning produces irritating, toxic and noxious fumes.

Reactivity : No dangerous reactions known.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flammable resistant/retardant clothing. Wear a self contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

#### 6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Refer to section 8.2.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place.

Incompatible products : Strong bases. Strong acids. Strong oxidizers.

Incompatible materials : Sources of ignition. Direct sunlight.

# OTR™ SAE 10W-30 Syn Blend

# OTR™ SAE 15W-40 Syn Blend

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

|                                                                                 |                        |          |
|---------------------------------------------------------------------------------|------------------------|----------|
| Zinc alkyl dithiophosphate (113706-15-3)                                        |                        |          |
| Not applicable                                                                  |                        |          |
| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7) |                        |          |
| ACGIH                                                                           | ACGIH TWA (mg/m³)      | 5 mg/m³  |
| ACGIH                                                                           | ACGIH STEL (mg/m³)     | 10 mg/m³ |
| OSHA                                                                            | OSHA PEL (TWA) (mg/m³) | 5 mg/m³  |

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Avoid creating mist or spray. Avoid splashing. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Hand protection:

Use rubber gloves. natural rubber gloves. Nitrile rubber

##### Eye protection:

In case of splashing or aerosol production: protective goggles.

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. In case of inadequate ventilation wear respiratory protection. Disposable half mask

##### Other information:

Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                                            |                     |
|--------------------------------------------|---------------------|
| Physical state                             | : Liquid            |
| Colour                                     | : amber             |
| Odour                                      | : petroleum         |
| Odour threshold                            | : No data available |
| pH                                         | : No data available |
| Melting point                              | : No data available |
| Freezing point                             | : No data available |
| Boiling point                              | : No data available |
| Flash point                                | : 225 °C COC        |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Flammability (solid, gas)                  | : Non flammable.    |
| Vapour pressure                            | : No data available |
| Relative vapour density at 20 °C           | : No data available |
| Relative density                           | : No data available |
| Solubility                                 | : No data available |
| Log Pow                                    | : No data available |
| Auto-ignition temperature                  | : No data available |

# OTR™ SAE 10W-30 Syn Blend

# OTR™ SAE 15W-40 Syn Blend

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                           |                                           |
|---------------------------|-------------------------------------------|
| Decomposition temperature | : No data available                       |
| Viscosity, kinematic      | : 65.1 - 115.4 mm <sup>2</sup> /s @ 40 °C |
| Viscosity, dynamic        | : No data available                       |
| Explosive limits          | : No data available                       |
| Explosive properties      | : No data available                       |
| Oxidising properties      | : No data available                       |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. hydrocarbons.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

|                                 |                                                                                                                                                                                                                                                                              |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unknown acute toxicity (GHS US) | 10.22% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)<br>10.22% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)<br>10.22% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| Zinc alkyl dithiophosphate (113706-15-3) |                       |
|------------------------------------------|-----------------------|
| LD50 oral rat                            | 2600 mg/kg            |
| LD50 dermal rabbit                       | > 3160 mg/kg          |
| ATE US (oral)                            | 2600 mg/kg bodyweight |

| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7) |                |
|---------------------------------------------------------------------------------|----------------|
| LD50 oral rat                                                                   | > 5000 mg/kg   |
| LD50 dermal rabbit                                                              | > 2000 mg/kg   |
| LC50 inhalation rat (mg/l)                                                      | > 5.53 mg/l/4h |

|                                   |                                                                                                                         |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Skin corrosion/irritation         | : Not classified                                                                                                        |
| Serious eye damage/irritation     | : Not classified. (Not irritating to rabbits on ocular application. Component. (Results obtained on a similar product)) |
| Respiratory or skin sensitisation | : Not classified                                                                                                        |
| Germ cell mutagenicity            | : Not classified                                                                                                        |
| Carcinogenicity                   | : Not classified                                                                                                        |
| Reproductive toxicity             | : Not classified                                                                                                        |
| STOT-single exposure              | : Not classified                                                                                                        |
| STOT-repeated exposure            | : Not classified                                                                                                        |

# OTR™ SAE 10W-30 Syn Blend

# OTR™ SAE 15W-40 Syn Blend

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                     |                                                                                            |
|-------------------------------------|--------------------------------------------------------------------------------------------|
| Aspiration hazard                   | : Not classified                                                                           |
| Viscosity, kinematic                | : 65.1 - 115.4 mm <sup>2</sup> /s @ 40 °C                                                  |
| Symptoms/effects                    | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after skin contact | : Repeated or prolonged skin contact may cause dermatitis and defatting.                   |

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

|                                                                                           |                             |
|-------------------------------------------------------------------------------------------|-----------------------------|
| <b>Zinc alkyl dithiophosphate (113706-15-3)</b>                                           |                             |
| LC50 fish 1                                                                               | 4.5 mg/l 96 h Rainbow trout |
| <b>Distillates (petroleum), hydrotreated heavy paraffinic (DMSO &lt; 3%) (64742-54-7)</b> |                             |
| EC50 Daphnia 1                                                                            | > 10000 mg/l                |

#### 12.2. Persistence and degradability

|                                                             |                            |
|-------------------------------------------------------------|----------------------------|
| <b>OTR™ SAE 10W-30 Syn Blend, OTR™ SAE 15W-40 Syn Blend</b> |                            |
| Persistence and degradability                               | Not established.           |
| <b>Zinc alkyl dithiophosphate (113706-15-3)</b>             |                            |
| Persistence and degradability                               | Not readily biodegradable. |

#### 12.3. Bioaccumulative potential

|                                                             |                  |
|-------------------------------------------------------------|------------------|
| <b>OTR™ SAE 10W-30 Syn Blend, OTR™ SAE 15W-40 Syn Blend</b> |                  |
| Bioaccumulative potential                                   | Not established. |
| <b>Zinc alkyl dithiophosphate (113706-15-3)</b>             |                  |
| Log Pow                                                     | 0.9              |

#### 12.4. Mobility in soil

|                                                 |                                                   |
|-------------------------------------------------|---------------------------------------------------|
| <b>Zinc alkyl dithiophosphate (113706-15-3)</b> |                                                   |
| Ecology - soil                                  | Absorbs to soil particles and will not be mobile. |

#### 12.5. Other adverse effects

|                                                                                           |  |
|-------------------------------------------------------------------------------------------|--|
| <b>OTR™ SAE 10W-30 Syn Blend, OTR™ SAE 15W-40 Syn Blend</b>                               |  |
|                                                                                           |  |
| <b>Zinc alkyl dithiophosphate (113706-15-3)</b>                                           |  |
|                                                                                           |  |
| <b>Distillates (petroleum), hydrotreated heavy paraffinic (DMSO &lt; 3%) (64742-54-7)</b> |  |
|                                                                                           |  |

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

|                                 |                                                                           |
|---------------------------------|---------------------------------------------------------------------------|
| Sewage disposal recommendations | : Do not dispose of waste into sewer.                                     |
| Waste disposal recommendations  | : Dispose in a safe manner in accordance with local/national regulations. |
| Ecology - waste materials       | : Avoid release to the environment.                                       |

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated.

# OTR™ SAE 10W-30 Syn Blend

# OTR™ SAE 15W-40 Syn Blend

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Transport by sea

Not regulated.

### Air transport

Not regulated.

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

|              |                    |
|--------------|--------------------|
| Alkyl esters | CAS-No. 68610-90-2 |
|--------------|--------------------|

#### Zinc alkyl dithiophosphate (113706-15-3)

|                          |                                                                      |
|--------------------------|----------------------------------------------------------------------|
| EPA TSCA Regulatory Flag | P - P - indicates a commenced Premanufacture Notice (PMN) substance. |
|--------------------------|----------------------------------------------------------------------|

### 15.2. International regulations

#### CANADA

#### Zinc alkyl dithiophosphate (113706-15-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### EU-Regulations

#### Zinc alkyl dithiophosphate (113706-15-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

#### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on NZIoC (New Zealand Inventory of Chemicals)

### 15.3. US State regulations

**⚠ WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

| Component             | Carcinogenicity | Developmental toxicity | Reproductive toxicity male | Reproductive toxicity female | No significant risk level (NSRL)             | Maximum allowable dose level (MADL)           |
|-----------------------|-----------------|------------------------|----------------------------|------------------------------|----------------------------------------------|-----------------------------------------------|
| Benzene(71-43-2)      | X               | X                      | X                          |                              | 6.4 µg/day (oral);<br>13 µg/day (inhalation) | 24 µg/day (oral); 49 µg/day (inhalation)      |
| Toluene(108-88-3)     |                 | X                      |                            |                              |                                              | 7000 µg/day (oral); 13000 µg/day (inhalation) |
| lead/lead compounds() | X               | X                      | X                          | X                            | 15 µg/day                                    | 0.5 µg/day                                    |

# OTR™ SAE 10W-30 Syn Blend

# OTR™ SAE 15W-40 Syn Blend

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 12/11/2018

Data sources : European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information : None.

Full text of H-statements:

|               |                                               |
|---------------|-----------------------------------------------|
| Asp. Tox. 1   | Aspiration hazard, Category 1                 |
| Eye Dam. 1    | Serious eye damage/eye irritation, Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2         |
| H304          | May be fatal if swallowed and enters airways. |
| H315          | Causes skin irritation.                       |
| H318          | Causes serious eye damage.                    |


Abbreviations and acronyms:

|  |                                                                                             |
|--|---------------------------------------------------------------------------------------------|
|  | ATE: Acute Toxicity Estimate                                                                |
|  | CAS (Chemical Abstracts Service) number                                                     |
|  | EC50: Environmental Concentration associated with a response by 50% of the test population. |
|  | GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).              |
|  | LD50: Lethal Dose for 50% of the test population                                            |
|  | STEL: Short Term Exposure Limits                                                            |
|  | TSCA: Toxic Substances Control Act                                                          |
|  | TWA: Time Weighted Average                                                                  |
|  | WEL: Workplace Exposure Limit                                                               |

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



Indication of changes:  
Regulatory information.

**SDS prepared by** The Redstone Group, LLC  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43017  
+1.614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*